

Universal Surface Gauges

Series AA-141

- There is a depression in each side for the thumb and fingers and the groove in the base adapts it for use on cylindrical as well as flat surfaces.
- There are two gauge pins frictionally held, which can be pushed down and used against the end of a surface plate on a T- slot for linear work.
- The fine adjustment feature makes it possible to obtain quick and accurate settings.
- The spindle which passes through rotating head or lower sleeve can be set above or below the base. The hardened and ground scriber can be set at any position on the spindle which in turn can be set at any angle.



Specifications:

Sr. No	Cat. No.	Size in mm L X W X H	
1	AA-1411	80 X 65 X 300 [12"]	
2	AA-1412	100 X 85 X 450 [18"]	
3	AA-1413	110 X 90 X 600 [24"]	

Heavy Duty Surface Gauge

Series AA-141

- These are very heavy and robust stands. They are used wherever optimum rigidity is demanded.
- The extremely sturdy columns guarantee high-test rigidity. These stands have a novel clamping device for the projection of scriber.
- Heavy duty surface Gauge has simple and rapid setting of the stand and clamps and scriber in any position even at moderate tightening.

Specifications:

Sr. No	Cat. No.	Size in mm (Base) L X W X H	Height of Column
1	AA-1415	130 X 105 X 35	600
2	AA-1416	160 X 130 X 40	1000

